



Foldaside 240 Residential Sliding & Folding Door Systems

Door Specifications

- Maximum Door Weight: 36kg
- Door Thickness: 35mm - 44mm
- Door Construction:
Up to 8 leaves may be hinged together. Loose or floating suites of door leaves are not recommended. Width of door leaves vary according to jamb hinging arrangements and the use of swing leaves; refer to drawings for details. Rebating to suit hanger aprons is shown. Swing leaves are best hinged to jambs, when hinged to folding suites reduce door leaf widths to 700mm and use four wheel hangers for adjoining swing door. Always engage holdback catch before operating. Two wheel and four wheel hangers should be used alternatively as shown in the technical drawings.

- Maximum Door Width: 800mm
- Maximum Door Height: 2400mm
- Track Dimensions:
37mm (w) x 48mm (h)

Hardware Specifications

- Galvanised steel top track usually soffit fixed. Universal soffit bracket designed for ease of fixing and versatility. Additional brackets required where doors fold
- Hangers are steel with nylon wheels, ball bearing and lubricated for life

- Door guide with steel angle plate fits rebate of door, nylon swivel
- Aluminium bottom channel drilled and countersunk for wood screws to be recessed into floor
- Equal leaves can be achieved by using jamb pivot set

SPECIAL NOTE:

When Jamb pivots are replaced by hinges, particular attention should be paid by the joiner to leaf sizes and the use of Dimension A or B as shown on Technical Specification.

For further information please contact us:
Tel: +44 (0)20 8545 6680 sales@coburn.co.uk www.coburn.co.uk

Foldaside 240

Residential Sliding & Folding Door Systems

Article No.	Description	Image
216	Galvanised steel top track available in 1.8, 2.1, 2.4, 3.0, 4.0 and 6.0m lengths	
412	Aluminium channel available in 1.5, 1.8, 2.1, 2.4, 3.0, 3.6 and 6.0m lengths	
02240	2 wheel folding hanger, nylon wheels	
02241	4 wheel folding hanger, nylon wheels	
41340	Nylon swivel bottom guide on steel corner fixed bracket	
95518	Top and bottom jamb pivot set for equal width doors	
02150	Open universal soffit bracket	
02051	Closed end piece (pair) for use with open universal soffit brackets	
02152	Lock joint universal soffit bracket	
02190	Open soffit bracket	

Article No.	Description	Image
02192	Lock joint soffit bracket	
95548	Stainless steel butt hinges (pack of 3)	
95612	Rectangular flush handle, 50mm x 100mm, stainless steel. Depth 16mm, consider thickness of doors when fixing back to back (For our full range of accessories see page x)	
95695	Flush bolt – power coated silver 150mm	
95663	Holdback Catch (Silver)	