

Centafold 350 Commercial Sliding & Folding Door Systems

### **Door Specifications**

- Maximum Door Weight: 60kg using 3-20 track, 65kg using 3-25 track
- Door Thickness: 44mm 55mm
- Maximum Door Height: 3300mm using 3-20 track, 3600mm using 3-25 track
- Maximum Door Width: 1200mm
- Top Track Dimensions:
  3-20 track 47mm (w) x 63mm (h)
  3-25 track 49mm (w) x 64mm (h)

### • Door Construction:

Up to 7 1/2 leaves may be hinged together and loose suites of 5 and 7 leaves may be used with care. Width of door leaves vary according to arrangements, refer to drawing for details. The half leaf is always hinged to jamb. With swing leaves on folding suites reduce door leaf widths to 800mm. Always engage holdback catch before operating. Track brackets usually soffit fixed. Universal soffit bracket designed for ease of fixing and versatility, additional brackets required where doors park when folded.

### **Hardware Specifications**

- Steel top track galvanised to BS EN 101346
- Hangers have vertical adjustment
- Floor channel unnecessary under swing leaves
- Hangers are steel with ball bearings and lubricated for life

#### **SPECIAL NOTE:**

Particular attention should be paid by the joiner to leaf sizes and the use of Dimension A as shown.


### **Centafold 350**

## Commercial Sliding & Folding Door Systems

### **Product Overview**

Centafold 350 is a top hung, medium weight folding system for internal timber doors. For openings without rebated heads or cills. For offices, schools etc.

**Technical Specification** 





## Centafold 350

# Commercial Sliding & Folding Door Systems

Article No.	Description	Image
320	Galvanised steel top track available in 1.8, 2.1, 2.4, 3.0, 4.0 and 6.0m lengths	
325	Galvanised steel top track available in 1.8, 2.1, 2.4, 3.0, 4.0, 6.0m lengths	
441	Galvanised steel bottom channel, available in 1.5, 1.8, 2.1, 2.4, 3.0, 4.0m lengths	
03150	Open universal soffit bracket	Sign of the state
03051	Closed end piece (pair) for use with open universal soffit brackets	
03152	Lock joint universal soffit bracket	
03190	Open soffit bracket	
03192	Lock joint soffit bracket	J
03245	2 wheel centre hanger with nylon wheels	Tim
03246	4 wheel centre hanger with nylon wheels	60

Article No.	Description	Image
95549	Stainless steel butt hinges (pack of 3)	
44345	Centre guide	
95663	Hold back catch (Silver)	
95612	Rectangular flush handle, 50mm x 100mm, stainless steel (For our full range of accessories see pages 96-97)	Ė



## Centafold 350

Commercial Sliding & Folding Door Systems





